



City of Chicago
Department of Public Health
 333 South State Street, Room 200
 Chicago, IL 60604
 312/745-3162
www.sfm.illinois.gov
SFM.DPCS@illinois.gov

FOR OFFICE USE ONLY	
Facility #:	2000271
Permit #:	00352-2026INS
Request Rec'd:	03/30/2026
Approval Date:	04/01/2026 SK
Permit Expires:	10/01/2026

Permit for INSTALLATION of Underground Storage Tank(s) and Piping for Petroleum and Hazardous Substances

Permission to install underground storage tank(s) or piping is hereby granted. Such installation must be in complete accordance with acceptable materials as specified in the Federal Register, Part II Environmental Protection Agency, 40 CFR Parts 280 and 281, and also with all sections of 41 Illinois Administrative Code, Parts 174, 175 and 176. The contractor the permit was issued to shall establish a date and time certain to perform the UST activity by scheduling the permitted activity through their UST contractor portal account. All testing forms must be submitted prior to the final being conducted. The tank owner must submit a Notification for Underground Storage Tanks form prior to the scheduling of the final schedule at: <https://webapps.sfm.illinois.gov/USTPortal/NotificationForm>.

THIS PERMIT IS VALID FOR SIX MONTHS FROM THE APPROVAL DATE.

OWNER OF TANKS - Corporation, partnership, or other business entity: Neiman Bros. Co., Inc. 3322 W. Newport Ave. Chicago, IL 60618 (None) County Contact: Laura Neiman 312/463-3000	FACILITY - name and address where tanks are located: Neiman Bros. Co., Inc. 3322 W Newport Ave Chicago, IL 60618 Cook County 13-23-402-036-0000 Contact: Laura Neiman 312/463-3000
--	--

Tanks on the Permit

Tank #	Product	Capacity	Tank Status	Regulated Status
3	Diesel Fuel	3,000	Tank Not Installed	Federal

Tank 3 Equipment

Equipment Type	Permit Equipment	Action
Corrosion Protection - Piping	Fiberglass Non-Corrosive	New
Corrosion Protection - Tank	Composite Non-Corrosive	New
Leak Detection - Piping	European with No Test Req Suction	New
Leak Detection - Tank	Automatic Tank Gauging Veeder Root TLS - 4c	New
Leak Detection - Tank	Non-Discriminating Interstitial Monitoring Sensors	New
Overfill Prevention Device	Overfill Drop Tube Valve	New
Piping	Fiberglass Single Wall Piping Ameron Dualoy 3000/L	New
Spill Containment Device	Double Wall Spill Bucket	New
Tank	Composite Double Wall Zorn Elutron	New

Dispensers on the Permit

Dispenser	Action
2	New

Dispenser 2 Equipment

Equipment Type	Permit Equipment	Action
Dispenser	Single Wall UDC Sump	New

General Requirements

USTs shall be installed to safeguard against movement by anchoring in accordance with manufacturer's instructions.

There shall be a minimum of two manufactured slotted or perforated observation wells of at least 4 inches in diameter, installed in each new tank field of tanks larger than 1000 gallons and one well for tanks less than 1000 gallons. A water tight containment shall be installed under all dispensers and at submersible pumps. A hydrostatic test must be performed on all containments. All steel piping for vents, risers, and fills in contact with the ground, backfill, or water shall be dielectrically wrapped or coated. A positive shut off valve shall be installed on pressurized product lines, at the submersibles, or installed at the tank for all suction piping systems. Vent piping is required to be tested from tank to grade level. All steel flex connectors in contact with ground, backfill or water shall have corrosion protection.

Summary of Work

INSTALLING 1- NEW 3000 GALLON DW ELUETRON COMPOSITE UST FOR DIESEL FUEL DISPENSING
1- BRAVO STP PIPING SUMP, EUROPEAN SAFE SUCTION SYSTEM, 1- APT DISPENSER UDC, AMERON DW LCX PIPING,
AMERON SINGLE WALL FRP VENT PIPING, VEEDER ROOT TLS 4C ATG SYSTEM, INTERSTITIAL TANK SENSOR , OPW DW
SPILL BUCKET, OPW OVERFILL PREVENTION VALVE

Special Contingencies

PERSON, FIRM OR COMPANY PERFORMING WORK:	
Petroleum Technologies Equipment, Inc. 8447 West 44th Place Lyons, IL 60534	Contact Person: Thomas Doherty Phone: 708/243-1108 Email: tjdpte@aol.com Contractor License # IL2051 Exp. 1/17/2028

Sincerely,

Sean Keane

For Office Use Only		
Dispenser 2 Equipment		
Equipment Type	Permit Equipment	Action
↳ Leak Detection - Piping	Piping Sump Sensors Not Regulated	New