



OFFICE OF THE ILLINOIS STATE FIRE MARSHAL  
Division of Technical Services  
1035 Stevenson Drive  
Springfield, Illinois 62703-4259  
(217)524-7605

**Amended**

FOR OFFICE USE ONLY  
Facility # 4-001765  
Permit # 00013-2012UPG  
Request Rec'd 01/05/2012  
**Amended Date 02/23/2012**  
Approval Date 1/5/2012 JC  
Permit Expires 7/5/2012

**Permit for UPGRADE or REPAIR of Underground Storage Tank(s) and Piping for Petroleum and Hazardous Substances.**

Permission to upgrade or repair underground storage tank(s) or piping is hereby granted. Such upgrade or repair must be in complete accordance with acceptable materials as specified in the Federal Register, Part II Environmental Protection Agency, 40 CFR Parts 280 and 281, and also with all sections of 41 Illinois Administrative Code, Parts 174, 175 and 176. The contractor the permit was issued to or an employee of that contractor (this does not include a subcontractor) shall submit a required job schedule for underground piping upgrade, leak detection, spill and overfill prevention of underground storage tank(s) to the Office of the State Fire Marshal, Division of Petroleum and Chemical Safety. **THIS PERMIT IS VALID FOR SIX MONTHS FROM THE APPROVAL DATE.**

<b>(1) OWNER OF TANKS</b> - Corporation, partnership, or other business entity:  Effingham Co Highway Dept PO Box 504, 101 N 4th Street Effingham, IL 62401  Contact: Greg Koester (217) 342-8400	<b>(2) FACILITY</b> - name and address where tanks are located:  Effingham County Memorial Airport R. R. 1 Effingham, Effingham Co., IL  Contact: Jerry Tate (217) 535-5312
---	---

**(3) UPGRADE OR REPAIR OF TANKS:**

- (a) *Number and size of tanks being upgraded or repaired:* (TK # 4) - 10,000 gallons
- (b) *Type of tanks:*
- (c) *Type of piping:* (TK # 4) - (Installing) partial Fiberglass Single Wall Piping A.O. Smith from the partial remainder of the existing vent line. This new section will terminate along the south east side of the building. The existing section is approximately 20', and the new section of piping will hook into it near the south east corner of the building. The new section to be installed is approximately 50'. There is an old section of vent piping that will simply be left in place since it runs under the building. **Also, a 4" riser will be replaced on the tank for the vent pipe since it appears to be allowing water ingress.**
- (d) *Product to be stored in each tank:* (TK # 4) - Aviation Fuel
- (e) *Type of leak detection being used:*  
*Tank:*  
*Piping:*
- (f) *Corrosion Protection being used:*  
*Tank:*  
*Piping:*
- (g) *Spill containment devices, piping, and dispenser containment devices:*
- (h) *Overfill prevention devices:*
- (i) *Manway accessible at grade:*

- (4) The owner must notify this Office when completion of tank upgrade/repair has occurred, on the Notification for Underground Storage Tank Form and the licensed contractor must submit the required job schedule for underground piping upgrade, leak detection, spill and overfill prevention to the OSFM prior to the work being performed. Both forms can be obtained at [www.sfm.illinois.gov](http://www.sfm.illinois.gov) or by calling (217)785-1020.

**(5) SPECIAL CONTINGENCIES:**

<b>(6) PERSON, FIRM OR COMPANY PERFORMING WORK:</b>  Danville, IL 61834	Contact Person: Phone: (217) 443-2263  Contractor Registration # Exp.
---	--

Sincerely,

Jim Coffey

cc: Storage Tank Safety Specialist -  
Fire Department -  
Office Coordinator -  
Division File  
(Rev. - 9/10)