



OFFICE OF THE ILLINOIS STATE FIRE MARSHAL  
Division of Technical Services  
1035 Stevenson Drive  
Springfield, Illinois 62703-4259  
(217)524-7605

FOR OFFICE USE ONLY  
Facility # 2-014722  
Permit # 00821-2011CAT  
Request Rec'd 08/25/2011  
Amended Date  
Approval Date 8/26/2011 JC  
Permit Expires 2/26/2012

**Permit for INSTALLATION, UPGRADE, or REPAIR of CATHODIC PROTECTION SYSTEM of Underground Storage Tank(s) and Piping for Petroleum and Hazardous Substances.**

Permission to install, upgrade, or repair cathodic protection of underground storage tank(s) or piping is hereby granted. Such installations, upgrades, or repairs must be in complete accordance with acceptable materials and procedures as specified in the Federal Register, Part II Environmental Protection Agency, 40 CFR Parts 280 and 281, and also with all sections of 41 Illinois Administrative Code, Parts 174, 175 and 176. A required job schedule for cathodic protection upgrade of underground storage tank(s) and piping must be submitted to the Office of the State Fire Marshal, Division of Petroleum and Chemical Safety. **THIS PERMIT IS VALID FOR SIX MONTHS FROM THE APPROVAL DATE.**

<b>(1) OWNER OF TANKS</b> - Corporation, partnership, or other business entity:  Sangha's Gas, Inc, 7960 West 79th Street Bridgeview, IL 60455  Contact: Roy Sangha (630) 215-9103	<b>(2) FACILITY</b> - name and address where tanks are located:  Sangha's Gas, Inc - Marathon 7960 West 79th Street Bridgeview, Cook Co., IL  Contact: Roy Sangha (630) 215-9103
--	--

**(3) , UPGRADE, OR REPAIR OF CATHODIC PROTECTION SYSTEM:**

- (a) *Number and size of tanks having cathodic protection installed, upgraded, or repaired:* (TK # 1, 2, 3) - 10,000 gallons, (TK # 4, 5) - 1,000 gallons
- (b) *Type of tanks:*
- (c) *Type of piping:*
- (d) *Product to be stored in each tank:* (TK # 1, 2, 3) - Gasoline, (TK # 4, 5) - Diesel Fuel
- (e) *Type of leak detection being used:*  
*Tank:*  
*Piping:*
- (f) *Corrosion Protection being used:*  
*Tank:* (TK # 1, 2, 3, 4, 5) - (Installing) Impressed Current Cathodic Protection replacement anodes (up to 6 total for the whole system) and damaged ground cabling sections as needed to repair the existing system per original design specifications. The existing junction box, rectifier, and functional sections of ground cabling will remain.  
*Piping:* (TK # 1, 2, 3, 4, 5) - (Installing) Impressed Current Cathodic Protection replacement anodes (up to six total for the whole system) and damaged ground cabling sections as needed to repair the existing system per original design specifications. The existing junction box, rectifier, and functional sections of ground cabling will remain.
- (g) *NACE certified designer:* *Certification number:* 5008
- (h) *Method of integrity assessment of tank(s) being used:*

- (4) The owner must notify this Office when completion of cathodic protection upgrade has occurred, on the Notification for Underground Storage Tank Form and the licensed contractor must submit the required job schedule for cathodic protection upgrade to the OSFM prior to the work being performed. Both forms can be obtained at [www.sfm.illinois.gov](http://www.sfm.illinois.gov) or by calling (217)785-1020.

**(5) SPECIAL CONTINGENCIES:**

<b>(6) PERSON, FIRM OR COMPANY PERFORMING WORK:</b>  Kenosha, WI 53144	Contact Person: Phone:  Contractor Registration #    Exp.
--	--

Sincerely,

Jim Coffey

cc: Storage Tank Safety Specialist -  
Fire Department -  
Office Coordinator -  
Division File  
(Rev. - 9/10)