



**OFFICE OF THE ILLINOIS STATE FIRE MARSHAL**  
**Division of Technical Services**  
 1035 Stevenson Drive  
 Springfield, Illinois 62703-4259  
 (217)524-7605

<b>FOR OFFICE USE ONLY</b>
Facility # 2-023157
Permit # 00394-2011CAT
Request Rec'd 05/09/2011
Amended Date
Approval Date 5/9/2011 JC
Permit Expires 11/9/2011

**Permit for INSTALLATION, UPGRADE, or REPAIR of CATHODIC PROTECTION SYSTEM of Underground Storage Tank(s) and Piping for Petroleum and Hazardous Substances.**

Permission to install, upgrade, or repair cathodic protection of underground storage tank(s) or piping is hereby granted. Such installations, upgrades, or repairs must be in complete accordance with acceptable materials and procedures as specified in the Federal Register, Part II Environmental Protection Agency, 40 CFR Parts 280 and 281, and also with all sections of 41 Illinois Administrative Code, Parts 174, 175 and 176. A required job schedule for cathodic protection upgrade of underground storage tank(s) and piping must be submitted to the Office of the State Fire Marshal, Division of Petroleum and Chemical Safety. **THIS PERMIT IS VALID FOR SIX MONTHS FROM THE APPROVAL DATE.**

<p><b>(1) OWNER OF TANKS</b> - Corporation, partnership, or other business entity:</p> <p>Graham Enterprise, Inc.          446 Morris Ave., P.O. Box 777          Mundelein, IL 60060-1919</p> <p>Contact: John C. Graham (847) 837-0777</p>	<p><b>(2) FACILITY</b> - name and address where tanks are located:</p> <p>Lake Villa P @ Route 45 (SS#140)          36044 North US Highway 45          Lake Villa, Lake Co., IL</p> <p>Contact: Jay Singh (847) 356-6119</p>
--	--

**(3) UPGRADE, OR REPAIR OF CATHODIC PROTECTION SYSTEM:**

(a) **Number and size of tanks having cathodic protection installed, upgraded, or repaired:** (TK # 1, 2) - 10,000 gallons, (TK # 3) - 12,000 gallons

(b) **Type of tanks:**

(c) **Type of piping:**

(d) **Product to be stored in each tank:** (TK # 1, 2, 3) - Gasoline

(e) **Type of leak detection being used:**

*Tank:*

*Piping:*

(f) **Corrosion Protection being used:**

**Tank:** (TK # 1, 2, 3) - (Installing) Impressed Current Cathodic Protection replacement anode (1) at the north side of store between the dispensers, and repairing a short section of a cable break at the southwest area of the store only. Repairs must not deviate from the original design.

**Piping:** (TK # 1, 2, 3) - (Installing) Impressed Current Cathodic Protection replacement anode (1) at the north side of store between the dispensers, and repairing a short section of a cable break at the southwest area of the store only. Repairs must not deviate from the original design.

(g) **NACE certified designer:**

**Certification number:** 3701

(h) **Method of integrity assessment of tank(s) being used:**

(4) **The owner must notify this Office when completion of cathodic protection upgrade has occurred, on the Notification for Underground Storage Tank Form and the licensed contractor must submit the required job schedule for cathodic protection upgrade to the OSFM prior to the work being performed. Both forms can be obtained at [www.sfm.illinois.gov](http://www.sfm.illinois.gov) or by calling (217)785-1020.**

**(5) SPECIAL CONTINGENCIES:**

<p><b>(6) PERSON, FIRM OR COMPANY PERFORMING WORK:</b></p> <p>Downers Grove, IL 60515</p>	<p>Contact Person:</p> <p>Phone:</p> <p>Contractor Registration #    Exp.</p>
---	---

Sincerely,

Jim Coffey

cc: Storage Tank Safety Specialist -  
 Fire Department -  
 Office Coordinator -  
 Division File  
 (Rev. - 9/10)