

UL 2447 LISTED PRODUCTS

The UL 2447 requirement evaluates the safety of containment products intended for below or at grade use, which house, transfer or otherwise come in contact with fuel. The following is a listing of all Franklin Fueling Systems UL 2447 listed products.

Compatible Fuels

Automotive Fuels - only those fuels formulated in accordance with 40CFR80, "Regulation of Fuels and Fuel Additives," and meeting the following ASTM fuel specifications and blend limits:

- ASTM D975 diesel with or without biodiesel blends up to 5% (B5)
- ASTM D7467 diesel with biodiesel blends between 6% - 20% (B6 - B20)
- ASTM D4814 gasoline with ethanol blends up to 10% (E10)
- ASTM D5798 high-blend ethanol, with ethanol/gasoline blends between 51% - 83% (E51 - E83) - commercially known as "E-85"
- Mid-range ethanol, with ethanol/gasoline blends of ASTM D4814 and ASTM D5798 blends between 11% - 50% (E11 - E50) All ASTM biofuel blends

Tank, Dispenser, and Transition Sumps

Model	Description
602375004	Low profile single wall fiberglass sump for Gilbarco Encore® bow-tie end dispenser models
602377904	Low profile single wall fiberglass sump for Gilbarco Encore® bow-tie end dispenser models with banded DEF polyethylene sump
602381001	Carbon Series™ single wall fiberglass sump for Wayne Ovation® dispenser models
602383001	Carbon Series™ double wall fiberglass sump for Gilbarco Encore® bow-tie end dispenser models with vacuum port
602383401	Carbon Series™ double wall fiberglass sump for Gilbarco Encore® bow-tie end dispenser models with vacuum port and port for interstitial monitoring
602385001	Carbon Series™ double wall fiberglass sump for Wayne Ovation® dispenser models with vacuum port
602385401	Carbon Series™ double wall fiberglass sump for Wayne Ovation® dispenser models with vacuum port and port for interstitial monitoring
602402901	48" watertight fiberglass tank sump includes base without bottom, riser, and lid
602402911	48" watertight fiberglass tank sump includes base with enclosed bottom, riser, and lid
602402922	42" watertight fiberglass tank sump includes base without bottom, riser, and lid
602402932	42" watertight fiberglass tank sump includes base with enclosed bottom, riser, and lid
AST-2922	Aboveground storage tank transition sump
DHW-3617	36" x 17" conduitless entry fiberglass sump, single wall
DMM4236-1/0-OB-S	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with one container opening and one 13" access port opening, octagonal base with bottom, single wall
DMM4236-1/0-OC-H	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with one container opening and one 13" access port opening, octagonal base with bottom, double wall
DMM4236-1/0-OC-S	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with one container opening and one 13" access port opening, octagonal collar mount base, single wall
DMM4236-2/1-OB-S	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with two container openings, one 8" access port opening, octagonal base with bottom, single wall
DMM4236-2/1-OC-H	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with two container openings, one 8" access port opening, octagonal collar mount base, double wall
DMM4236-2/1-OC-S	Defender Series™ multiport sump, medium burial, 42" base, 36" manway opening, sump shield with two container openings, one 8" access port opening, octagonal collar mount base, single wall
DMM4836-2/1-OC-S	Defender Series™ multiport sump, medium burial, 48" base, 36" manway opening, sump shield with two container openings, one 8" access port opening, octagonal collar mount base, single wall
DMM4842-4/0-OC-H	Defender Series™ multiport sump, medium burial, 48" base, 42" manway opening, sump shield with four container openings and one 6" access port opening, octagonal collar mount base, double wall
DMM4842-4/0-OC-S	Defender Series™ multiport sump, medium burial, 48" base, 42" manway opening, sump shield with four container openings and one 6" access port opening, octagonal collar mount base, single wall
DP-1816	Dispenser pan, 13¾" x 11¼"

Tank, Dispenser, and Transition Sumps

Model	Description
DP-2014	Dispenser pan, 16½" x 10½"
DP-2816	Dispenser pan, 23" x 11¾"
DP-4721	Dispenser pan, 42" x 16"
DS3617 ENCORE	Deep Dispenser Sump 36" x 17" for Gilbarco™ Encore™
DS3915 OVATION	Deep Dispenser Sump 39" x 15" for Wayne™ Ovation™
IPS-2424	Intermediate piping sump, 24" x 24", fits under a 24" manway
IPS-3636	Intermediate piping sump, 36" x 36", fits under a 36" manway
LMD-1410	Dispenser sump, Polyethylene, Deep burial, 13.5" x 9.75"
LMD-1913-T	Dispenser sump, Polyethylene, Deep burial, 19" x 12", Tokheim®
LMD-2010	Dispenser sump, Polyethylene, Deep burial, 20.5" x 10"
LMD-2018	Dispenser sump, Polyethylene, Deep burial, 20.8" x 18.3"
LMD-2313-T	Dispenser sump, Polyethylene, Deep burial, 23"x 12", Tokheim®
LMD-2313-T-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 23" X 13"
LMD-2407	Dispenser sump, Polyethylene, Deep burial, 23.75" x 7.5"
LMD-2407-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 24" X 7"
LMD-2715	Dispenser sump, Polyethylene, Deep burial, 27" x 15"
LMD-2715-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 27" X 15"
LMD-2811	Dispenser sump, Polyethylene, Deep burial, 28.5" x 11"
LMD-2811-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 28" X 11"
LMD-2915	Dispenser sump, Polyethylene, Deep burial, 29.75" x 15.75"
LMD-2915-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 29" X 15"
LMD-3610	Dispenser sump, Polyethylene, Deep burial, 36" x 10.25"
LMD-3617	Dispenser sump, Polyethylene, Deep burial, 36" x 17.25", Conduit-less top frame.
LMD-3617-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 36" X 17"
LMD-3914	Dispenser sump, Polyethylene, Deep burial, 38.75" x 14"
LMD-3914-36-W	Dispenser sump, Polyethylene, Deep burial, 38.75" x 14", for 36" sump, Conduit-less top frame.
LMD-4018	Dispenser sump, Polyethylene, Deep burial, 39.75" x 17.25"
LMD-4111	Dispenser sump, Polyethylene, Deep burial, 41.5" x 11"
LMD-4113	Large Mouth Fiberglass Dispenser Sump, 41" X 13"
LMD-4115	Dispenser sump, Polyethylene, Deep burial, 41.5" x 15.75"
LMM-1410	Dispenser sump, Polyethylene, Medium burial, 13.5" x 9.75"
LMM-1410-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 13.5" X 9.75"
LMM-1410-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 13.5" X 9.75"
LMM-1913-T	Dispenser sump, Polyethylene, Medium burial, 19" x 12", Tokheim®
LMM-1913-T-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 19" X 13", Tokheim®
LMM-1913-T-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 19" X 13", Tokheim®
LMM-2010	Dispenser sump, Polyethylene, Medium burial, 20.5" x 10"
LMM-2010-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 20" X 10.5"
LMM-2010-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 20" X 10.5"
LMM-2018	Dispenser sump, Polyethylene, Medium burial, 20.8" x 18.3"
LMM-2018-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 20.8" X 18.3"
LMM-2018-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 20.8" X 18.3"
LMM-2313-T	Dispenser sump, Polyethylene, Medium burial, 23" x 12", Tokheim®
LMM-2313-T-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 23" X 12"
LMM-2313-T-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 23" X 12"
LMM-2407	Dispenser sump, Polyethylene, Medium burial, 23.75" x 7.5"
LMM-2407-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 23.75" X 7.5"
LMM-2407-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 23.75" X 7.5"
LMM-2407-SW-R	SW UNDERDISP SUMP, 23.75x7.5x36
LMM-2410-T-M	Dispenser sump, Polyethylene, Medium burial, 24" x 10", Tokheim®
LMM-2715	Dispenser sump, Polyethylene, Medium burial, 27" x 15"
LMM-2715-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 27" X 15"
LMM-2715-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 27" X 15"
LMM-2811	Dispenser sump, Polyethylene, Medium burial, 28.5" x 11"
LMM-2811-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 28" X 11.5"

Tank, Dispenser, and Transition Sumps

Model	Description
LMM-2811-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 28" X 11.5"
LMM-2915	Dispenser sump, Polyethylene, Medium burial, 29.75" x 15.75"
LMM-2915-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 29.75" X 15.75"
LMM-2915-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 29.75" X 15.75"
LMM-2916-DEF	DEF polyethylene dispenser sump (banded, two-sump design) for Wayne® Vista™ DEF dispensers
LMM-3610	Dispenser sump, Polyethylene, Medium burial, 36" x 10.25"
LMM-3610-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 36" x 10.25"
LMM-3610-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 36" x 10.25"
LMM-3617	Dispenser sump, Polyethylene, Medium burial, 36" x 17.25", Conduit-less top frame.
LMM-3617-36-CGS	Dispenser sump, Polyethylene, Medium burial, 36" x 17.25", Conduit-less top frame.
LMM-3617-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 36.0" X 17.25", Conduitless
LMM-3617-DEF	DEF polyethylene dispenser sump (banded, two-sump design) for Gilbarco® Encore® DEF dispensers
LMM-3617-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 36.0" X 17.25", Conduitless
LMM-3914	Dispenser sump, Polyethylene, Medium burial, 38.75" x 14"
LMM-3914-36-W	Dispenser sump, Polyethylene, Medium burial, 38.75" x 14", for 36" sump, Conduit-less top frame.
LMM-3914-36-W-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 38.75" X 14", Conduitless
LMM-3914-36-W-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 38.75" X 14", Conduitless
LMM-3914-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 38.75" x 14"
LMM-3914-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 38.75" x 14"
LMM-4018	Dispenser sump, Polyethylene, Medium burial, 39.75" x 17.25"
LMM-4018-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 39.75" x 17.57"
LMM-4018-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 39.75" x 17.57"
LMM-4111	Dispenser sump, Polyethylene, Medium burial, 41.5" x 11"
LMM-4111-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 41.5" x 11"
LMM-4111-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 41.5" x 11"
LMM-4115	Dispenser sump, Polyethylene, Medium burial, 41.5" x 15.75"
LMM-4115-D	Large Mouth Fiberglass Dispenser Sump, Double Wall, 41.5" x 15.75"
LMM-4115-S	Large Mouth Fiberglass Dispenser Sump, Single Wall, 41.5" x 15.75"
LMT-1410	Large Mouth Top Frame Assembly, 13.5" x 9.75"
LMT-1913-T	Large Mouth Top Frame Assembly, 19" x 12", Tokheim®
LMT-2010	Large Mouth Top Frame Assembly, 20.5" x 10"
LMT-2018	Large Mouth Top Frame Assembly, 20.8" x 18.3"
LMT-2313-T	Large Mouth Top Frame Assembly, 23" x 12", Tokheim®
LMT-2407	Large Mouth Top Frame Assembly, 23.75" x 7.5"
LMT-2715	Large Mouth Top Frame Assembly, 27" x 15"
LMT-2811	Large Mouth Top Frame Assembly, 28.5" x 11"
LMT-2913	Large Mouth Top Frame Assembly, 29" x 13"
LMT-2915	Large Mouth Top Frame Assembly, 29.75" x 15.75"
LMT-2916-DEF	Large Mouth Top Frame Assembly, DEF, 29" x 16"
LMT-3610	Large Mouth Top Frame Assembly, 36" x 10.25"
LMT-3617-36	Large Mouth Top Frame Assembly, 36" x 17.25"
LMT-3617-DEF	Large Mouth Top Frame Assembly, DEF, 36" x 17.25"
LMT-3914	Large Mouth Polyethylene Dispenser Top Frame Only
LMT-3914-36-W	Large Mouth Top Frame Assembly, 38.75" x 14", For 36" sump, Conduit-less top frame.
LMT-4018	Large Mouth Top Frame Assembly, 39.75" x 17.25"
LMT-4111	Large Mouth Top Frame Assembly, 41.5" x 11"
LMT-4115	Large Mouth Top Frame Assembly, 41.5" x 15.75"
TD4236-0/0-OB-S	Fiberglass tank sump, 42" Single Wall - Deep Bury - Octagonal Two-Piece Base with Bottom
TD4236-0/0-OC-S	Fiberglass tank sump, 42" Single Wall - Deep Bury - Octagonal Two-Piece Collar Mount Base
TD4836-0/0-OC-H	Fiberglass tank sump, 48" Double Wall - Deep Bury - Octagonal Two-Piece Base with Bottom
TD4836-0/0-OC-V	Fiberglass tank sump, 48" Double Wall - Deep Bury - Octagonal Two-Piece Base with Bottom
TDA4236-0/0-RC-S	Fiberglass tank sump, 42" Single Wall - Deep Bury - Round Single-Piece Collar Mount Bas
TDA4836-0/0-OB-S	Fiberglass tank sump, 48" Single Wall - Deep Bury - Octagonal Two-Piece Base with Bottom
TDA4836-0/0-OC-S	Fiberglass tank sump, 48" Single Wall - Deep Bury - Octagonal Two-Piece Collar Mount Base
TDA4836-0/0-RC-S	Fiberglass tank sump, 48" Single Wall - Deep Bury - Round Single-Piece Collar Mount Base

Tank, Dispenser, and Transition Sumps

Model	Description
TM4236-0/0-OB-S	Fiberglass tank sump, 42" Single Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TM4236-0/0-OC-H	Fiberglass tank sump, 42" Double Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TM4236-0/0-OC-S	Fiberglass tank sump, 42" Single Wall - Medium Bury - Octagonal Two-Piece Collar Mount Base
TM4236-0/0-OC-V	Fiberglass tank sump, 42" Double Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TM4836-0/0-OC-H	Fiberglass tank sump, 48" Double Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TM4836-0/0-OC-V	Fiberglass tank sump, 48" Double Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TMA4236-0/0-RC-S	Fiberglass tank sump, 42" Single Wall - Medium Bury - Round Single-Piece Collar Mount Base
TMA4836-0/0-OB-S	Fiberglass tank sump, 48" Single Wall - Medium Bury - Octagonal Two-Piece Base with Bottom
TMA4836-0/0-OC-S	Fiberglass tank sump, 48" Single Wall - Medium Bury - Octagonal Two-Piece Collar Mount Base
TMA4836-0/0-RC-S	Fiberglass tank sump, 48" Single Wall - Medium Bury - Round Single-Piece Collar Mount Base
TMA4842-0/0-OB-S	Fiberglass tank sump, 48" Single Wall – Medium Bury – 42" WTSS, Octagonal Two-Piece with Bottom
TMA4842-0/0-OC-S	Fiberglass tank sump, 48" Single Wall – Medium Bury – 42" WTSS, Octagonal Two-Piece Collar Mount Base
TS-2430	Transition sump, shallow burial, 24" base, fits under a 30" manway
TS-3630	Tank sump, shallow burial, 36" base, fits under a 30" manway
TS-4230	Tank sump, medium burial, 42" base, fits under a 30" manway
TSD-4542-IPB	Tank sump, Polyethylene, deep burial, with rubber inspection port lid, 45" x 42"
TSD-4736-IP	Tank sump, Polyethylene, deep burial, with inspection port lid, 47" x 36"
TSD-4736-IPB	Tank sump, Polyethylene, deep burial, with rubber inspection port lid, 45" x 42"
TSD-W-4736	Water-resistant tank sump, deep burial [58" (1,471 mm) maximum height, 31.9" (810 mm) minimum height], 47" (1,192 mm) base, fits 36" (900 mm) manway
TS-KIT	TS-3630/4230 retro fit kit, replacement lid assembly for screw-on polyethylene lids
TSM-4542-IPB	Tank sump, Polyethylene, medium burial, with rubber inspection port lid, 45" x 42"
TSM-4736	Tank sump, Polyethylene, medium burial, with inspection port lid, 47" x 36"
TSM-4736-IPB	Tank sump, Polyethylene, medium burial, with rubber inspection port lid, 47" x 36"
TSM-W-4736	Water-resistant tank sump, medium burial [45" (1,140 mm) maximum height, 31.9" (810 mm) minimum height], 47" (1,192 mm) base, fits 36" (900 mm) manway
TSS-36	36" watertight sump shield lid, with toggles
TSS-42	42" watertight sump shield lid, with toggles
TSS-4236	Watertight Sump Shield Packages
TSS-4542	Tank sump, shallow burial, 45" x 42"
TSS-4542-IPB	Tank sump, shallow burial, with rubber inspection port lid, 45" x 42"
TSS-4836	Watertight Sump Shield Packages
TSS-XS36	Watertight Sump Shield Packages

Spill Containers

Model	Description
705556101	Below ground 5 gallon spill container, double wall, with drain, NPSM thread, with I2 monitor, no cover
705556102	Below ground 5 gallon spill container, double wall, without drain, NPSM thread, with I2 monitor, no cover
705556111	Below ground 5 gallon spill container, double wall, with drain, NPT thread, with I2 monitor, no cover
705556112	Below ground 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, no cover
705556121	Below ground 5 gallon spill container, double wall, with drain, BSPT thread, with I2 monitor, no cover
705556122	Below ground 5 gallon spill container, double wall, without drain, BSPT thread, with I2 monitor, no cover
70245001NC	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, no cover
70245001ORG	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, orange cover
70245001RED	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, red cover
70245001STL	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, steel cover
70245001WHT	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, white cover
70245001YEL	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - does not include a riser, cap, and adapter (RCA), 18in x 8in manway, yellow cover
70245065	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, no cover (Canada - add 18" cover)
70245065BLK	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, black cover
70245065ORG	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, orange cover
70245065RED	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, red cover
70245065WHT	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, white cover
70245065YEL	Retrofit mounting, below ground 5 gallon spill container, with a pump or drain - includes a riser, cap, and adapter (RCA), 18in x 8in manway, yellow cover
70547401BLK	Below ground 5 gallon spill container, with drain, 18in x 8in manway, black FRC cover
70547401NC	Below ground 5 gallon spill container, with drain, 18in x 8in manway, no cover
70547401ORG	Below ground 5 gallon spill container, with drain, 18in x 8in manway, orange FRC cover
70547401RED	Below ground 5 gallon spill container, with drain, 18in x 8in manway, red FRC cover
70547401STL	Below ground 5 gallon spill container, with drain, 18in x 8in manway, steel cover
70547401WHT	Below ground 5 gallon spill container, with drain, 18in x 8in manway, white FRC cover
70547401YEL	Below ground 5 gallon spill container, with drain, 18in x 8in manway, yellow FRC cover
70547402BLK	Below ground 5 gallon spill container, without drain, 18in x 8in manway, black FRC cover
70547465BLK	Below ground 5 gallon spill container, with drain, 18in x 8in manway, black FRC cover, (ULC approved)
70547465NC	Below ground 5 gallon spill container, with drain, 18in x 8in manway, no cover, (ULC approved)
70547465ORG	Below ground 5 gallon spill container, with drain, 18in x 8in manway, orange FRC cover, (ULC approved)
70547465RED	Below ground 5 gallon spill container, with drain, 18in x 8in manway, red FRC cover, (ULC approved)
70547465STL	Below ground 5 gallon spill container, with drain, 18in x 8in manway, steel cover, (ULC approved)
70547465WHT	Below ground 5 gallon spill container, with drain, 18in x 8in manway, white FRC cover, (ULC approved)
70547465YEL	Below ground 5 gallon spill container, with drain, 18in x 8in manway, yellow FRC cover, (ULC approved)
70547765BLK	Below ground 5 gallon spill container, with drain, 18in x 24in manway, black FRC cover, (ULC approved)
70547765NC	Below ground 5 gallon spill container, with drain, 18in x 24in manway, no cover, (ULC approved)
705477NDBLK	Below ground 5 gallon spill container, without drain, 18in x 24in manway, black FRC cover
705477NDNC	Below ground 5 gallon spill container, without drain, 18in x 24in manway, no cover
705477NDORG	Below ground 5 gallon spill container, without drain, 18in x 24in manway, orange FRC cover
705477NDRED	Below ground 5 gallon spill container, without drain, 18in x 24in manway, red FRC cover
705477NDWHT	Below ground 5 gallon spill container, without drain, 18in x 24in manway, white FRC cover
705477NDYEL	Below ground 5 gallon spill container, without drain, 18in x 24in manway, yellow FRC cover
70549201BLK	Below ground 5 gallon spill container, 18in x 8in manway, black FRC cover, (CARB approved)
70549201RED	Below ground 5 gallon spill container, 18in x 8in manway, red FRC cover, (CARB approved)
70549201WHT	Below ground 5 gallon spill container, 18in x 8in manway, white FRC cover, (CARB approved)
70549201YEL	Below ground 5 gallon spill container, 18in x 8in manway, yellow FRC cover, (CARB approved)

Spill Containers

Model	Description
70549202BLK	Below ground 5 gallon spill container, without drain, 18in x 8in manway, black FRC cover, (CARB approved)
70549202ORG	Below ground 5 gallon spill container, without drain, 18in x 8in manway, orange FRC cover, (CARB approved)
70549202RED	Below ground 5 gallon spill container, without drain, 18in x 8in manway, red FRC cover, (CARB approved)
70549202WHT	Below ground 5 gallon spill container, without drain, 18in x 8in manway, white FRC cover, (CARB approved)
70549202YEL	Below ground 5 gallon spill container, without drain, 18in x 8in manway, yellow FRC cover, (CARB approved)
705545001CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, with drain, NPSM thread, cast-iron cover with gasketed lid, AGB compatible
705545002CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPSM thread, cast-iron cover with gasketed lid, AGB compatible
705545011CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, with drain, NPT thread, cast-iron cover with gasketed lid, AGB compatible
705545011CI-GRN	Defender Series® Grade level 5 gallon spill container, single wall, with drain, NPT thread, cast-iron green cover with gasketed lid, AGB compatible
705545011CI-RED	Defender Series® Grade level 5 gallon spill container, single wall, with drain, NPT thread, cast-iron red cover with gasketed lid, AGB compatible, RCA kit included.
705545011CI-WHT	Defender Series® Grade level 5 gallon spill container, single wall, with drain, NPT thread, cast-iron white cover with gasketed lid, AGB compatible
705545012CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPT thread, cast-iron cover with gasketed lid, AGB compatible
705545012CI-ORG	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPT thread, cast-iron orange cover with gasketed lid, AGB compatible
705545012CI-RED	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPT thread, cast-iron red cover with gasketed lid, AGB compatible, RCA kit included.
705545012CI-WHT	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPT thread, cast-iron white cover with gasketed lid, AGB compatible
705545012CI-YEL	Defender Series® Grade level 5 gallon spill container, single wall, without drain, NPT thread, cast-iron yellow cover with gasketed lid, AGB compatible
705545021CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, with drain, BSPT thread, cast-iron cover with gasketed lid, AGB compatible
705545022CI-GKT	Defender Series® Grade level 5 gallon spill container, single wall, without drain, BSPT thread, cast-iron cover with gasketed lid, AGB compatible
705555011CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, with drain, NPT thread, with PSIS sensor, cast-iron cover with gasketed lid, AGB compatible
705555101CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, with drain, NPSM thread, with I2 monitor, no cover, AGB compatible
705555102CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPSM thread, with I2 monitor, black FRC cover, AGB compatible
705555111CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, with drain, NPT thread, with I2 monitor, no cover, AGB compatible
705555112CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, cast-iron orange cover with gasketed lid, AGB compatible
705555112CI-ORG	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, green FRC cover, AGB compatible
705555112CI-RED	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, orange FRC cover, AGB compatible
705555112CI-WHT	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, red FRC cover, AGB compatible
705555112CI-YEL	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, white FRC cover, AGB compatible
705555201CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, with drain, NPSM thread, with sensor, cast-iron cover with gasketed lid, AGB compatible
705555202CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPSM thread, with sensor, cast-iron cover with gasketed lid, AGB compatible
705555211CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, with drain, NPT thread, with sensor, cast-iron cover with gasketed lid, AGB compatible
705555212CI-GKT	Defender Series® Grade level 5 gallon spill container, double wall, without drain, NPT thread, with sensor, cast-iron cover with gasketed lid, AGB compatible
705556101BLK	Below ground 5 gallon spill container, double wall, with drain, NPSM thread, with I2 monitor, black FRC cover
705556102BLK	Below ground 5 gallon spill container, double wall, without drain, NPSM thread, with I2 monitor, 18in x 24in manway, black FRC cover

Spill Containers

Model	Description
705556111BLK	Below ground 5 gallon spill container, double wall, with drain, NPT thread, with I2 monitor, black FRC cover
705556112BLK	Below ground 5 gallon spill container, double wall, without drain, NPT thread, with I2 monitor, 18in x 24in manway, black FRC cover
705556121BLK	Below ground 5 gallon spill container, double wall, with drain, BSPT thread, with I2 monitor, black FRC cover
705556122BLK	Below ground 5 gallon spill container, double wall, without drain, BSPT thread, with I2 monitor, 18in x 24in manway, black FRC cover
705556201BLK	Below ground 5 gallon spill container, double wall, with drain, NPSM thread, with sensor, black FRC cover
705556202BLK	Below ground 5 gallon spill container, double wall, without drain, NPSM thread, with sensor, 18in x 24in manway, black FRC cover
705556211BLK	Below ground 5 gallon spill container, double wall, with drain, NPT thread, with sensor, black FRC cover
705556212BLK	Below ground 5 gallon spill container, double wall, without drain, NPT thread, with sensor, 18in x 24in manway, black FRC cover
705556221BLK	Below ground 5 gallon spill container, double wall, with drain, BSPT thread, with sensor, black FRC cover
705556222BLK	Below ground 5 gallon spill container, double wall, without drain, BSPT thread, with sensor, 18in x 24in manway, black FRC cover
71547401BLK	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with black composite cover
71547401BRN	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with brown composite cover
71547401INC	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway, no cover
71547401ORG	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with orange composite cover
71547401RED	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with red composite cover
71547401STL	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with steel cover
71547401WHT	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with white composite cover
71547401YEL	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with yellow composite cover
71549201BLK	Below grade spill container, 15 gallon capacity, with drain, NPT threads, 18" x 8" manway with black composite cover (CARB approved)
71549202BLK	Below grade spill container, 15 gallon capacity, without drain, NPT threads, 18" x 8" manway with black composite cover (CARB approved)
71549202ORG	Below grade spill container, 15 gallon capacity, without drain, NPT threads, 18" x 8" manway with orange composite cover (CARB approved)
71549202RED	Below grade spill container, 15 gallon capacity, without drain, NPT threads, 18" x 8" manway with red composite cover (CARB approved)
71549202WHT	Below grade spill container, 15 gallon capacity, without drain, NPT threads, 18" x 8" manway with white composite cover (CARB approved)

Sump Accessories

Model	Description
49-031-027	¾" reducing coupler
49-038-033	1" reducing coupler
49-040-032	UPP® Fusion Reducer 40x32 mm Secondary
49-040-032-TP	UPP® Fusion Reducer 40x32 mm Sec with Test Port
49-063-031	¾" polyethylene entry seal reducer
49-063-038	1" polyethylene entry seal reducer
49-063-050	UPP® Fusion Reducer 63x50 mm Secondary
49-063-050-TP	UPP® Fusion Reducer 63x50 mm Secondary with Test Port
49-063-050TP-U	1½" secondary electrofusion reducer fitting with test port
49-063-050-U	1½" secondary electrofusion reducer fitting
49-075-063-1	UPP® Fusion Reducer 75x63 mm Secondary
49-075-063-1-U	2" secondary electrofusion reducer fitting
49-075-063-TP-1	UPP® Fusion Reducer 75x63 mm Secondary with Test Port
49-075-063TP1-U	2" secondary electrofusion reducer fitting with test port
49-075-063TP1-U-K	2" secondary electrofusion reducer fitting with test port
49-110-063(SC)	UPP® Sliding Reducer 110x63 mm Secondary
49-110-063SC-U	4" x 1½" secondary electrofusion reducer fitting
49-110-075(SC)	UPP® Sliding Reducer 110x75 mm Secondary
49-110-075SC-U	UPP® Sliding Reducer 110x75 mm Secondary UL

Sump Accessories

Model	Description
49-110-090	SC Welding Reducer 110/90 mm
49-110-090-TP	SC Welding Reducer 110/90 mm with Test Port
49-110-090TP-U	4" x 3" secondary electrofusion reducer fitting with test port
49-110-090-U	4" x 3" secondary electrofusion reducer fitting
49-125-110	SC Welding Reducer 125/110 mm
49-125-110-TP	SC Welding Reducer 125/110 mm with Test Port
49-125-110TP-U	5" x 4" secondary electrofusion reducer fitting with test port
49-125-110-U	5" x 4" secondary electrofusion reducer fitting
DMP36-1-WTSS-32	Watertight sump shield with one spill container opening, for 32" diameter sump riser - includes corresponding boot and clamps
DMP36-1-WTSS-33	Watertight sump shield with one spill container opening, for 33" diameter sump riser - includes corresponding boot and clamps
DMP36-1-WTSS-42	Watertight sump shield with one spill container opening, for 42" diameter sump riser - includes corresponding boot and clamps
DMP36-1-WTSS-48	Watertight sump shield with one spill container opening, for 48" diameter sump riser - includes corresponding boot and clamps
DMP36-2-WTSS-32	Watertight sump shield with two spill container opening, for 32" diameter sump riser - includes corresponding boot and clamps
DMP36-2-WTSS-33	Watertight sump shield with two spill container opening, for 33" diameter sump riser - includes corresponding boot and clamps
DMP36-2-WTSS-42	Watertight sump shield with two spill container opening, for 42" diameter sump riser - includes corresponding boot and clamps
DMP36-2-WTSS-48	Watertight sump shield with two spill container opening, for 48" diameter sump riser - includes corresponding boot and clamps
DMP42-1-WTSS-42	Watertight sump shield with four spill container opening, for 42" diameter sump riser - includes corresponding boot and clamps
DMP42-2-WTSS-42	Watertight sump shield with two spill container opening, for 42" diameter sump riser - includes corresponding boot and clamps
DMP42-4-WTSS-42	Watertight sump shield with four spill container opening, for 42" diameter sump riser - includes corresponding boot and clamps
MA-22	Manway Adapter, 22"
MA-24	Manway Adapter, 24"
SBK-1	Stabilizer bar kit 1
SBK-2	Stabilizer Bar Kit for 2010
SBK-25	Stabilizer Bar Kit for 4111
SBK-3	Stabilizer Bar Kit for 2915 & 4115
STB-150	Secondary test boot for XP-150-SC pipe
STB-150-K	SC TEST BOOT ASSY - 1.50" KIT
STB-175	Test Boot Secondary with Test Port - 63x50 mm diameter
STB-175-K	SC TEST BOOT ASSY,1.75"FOR KIT
STB-200	UPP® Test Boot 75x63 mm Secondary with Test Port
STB-200-K	SC TEST BOOT ASSY,2"FOR KIT
TFA-400-II	Tank fitting Adapter generation II, 4" NPT
TFA-600	Tank fitting Adapter, 6" NPT

Penetration Fittings

Model	Description
303-050-EIF	Fusion Seal with Integrated Coupler
303-063-EIF-U	1½" double wall / 2" single wall electrofusion entry boot
303-075-EIF	UPP® Fusion Seal 75 mm with Integrated Coupler
303-075-EIF-U	2" double wall electrofusion entry boot
303-075-EIF-U-K	UPP® Fusion Seal 75 mm with Integrated Coupler
304-075-SB	304-075-SB SEALBOOTKITSPAR
304-110-050-TP	Fusion Entry Seal with Secondary Coupler 110x50mm with Test Port
304-110-063-TP	Reducing Fusion Entry Seal with Secondary Coupler 3"/2" diameters with Test Port
304-110-075-TP	2" double wall ducted entry boot with ducting test port
304-110-090	Fusion Entry Seal with 110 mm & 90 mm (pictured)
304-110-090-TP	Couplers with Test Port (pictured)
304-110-090TP-U	3" double wall electrofusion entry boot with integrated termination fitting and test port
304-110-090-U	3" double wall electrofusion entry boot with integrated termination fitting
304-110-TP	UPP® Fusion Entry Seal with Coupler 110 with Test Port (No Boot)
305-125-110	Electrofusion Seal with 125 & 110 Couplers
305-125-110-TP	Electrofusion Seal 125 & 110 Couplers with Test Port (pictured)
305-125-110TP-U	4" double wall electrofusion entry boot with integrated termination fitting and test pot
305-125-110-U	4" double wall electrofusion entry boot with integrated termination fitting
305-3X27MM-CON	Electrofusion triple rigid conduit entry seal, for ¾" (nominal 26.7 mm O/D) rigid conduit, (3) entries
305-R-1	UPP® 5" Fusion Ring Extended
305-SB	UPP® Seal Boot Kit for 50/63/75 mm
DDB-100-D	Ducted double boot for XP-100-D or 1" electrical conduit
DDB-100-SC	Ducted double boot for XP-100-SC
DDB-150-SC	Ducted double boot for XP-150-SC
DDB-200-SC	Ducted double boot for XP-200-SC
DEB-150-D	Ducted entry boot for XP-150-D
DEB-150-DA	Air testable ducted entry boot for XP-150-D
DEB-150-SC	Ducted entry boot for XP-150-SC
DEB-150-SCA	Air testable ducted entry boot for XP-150-SC
DEB-175-D	Ducted entry boot for XP-175-D
DEB-175-DA	Air testable ducted entry boot for XP-175-D
DEB-175-SC	Ducted entry boot for XP-175-SC
DEB-175-SCA	Air testable ducted entry boot for XP-175-SC
DEB-200-D	Ducted entry boot for XP-200-D
DEB-200-DA	Air testable ducted entry boot for XP-200-D
DEB-200-SC	Ducted entry boot for XP-200-SC
DEB-252-DA	Air testable ducted entry boot for XP-200-SC and P-250-D
DEB-BL-DA	Ducted entry boot blank plug
FBB-075-D	Flexible bulkhead boot for P-075-D, ¾" and 1" electrical conduit
FBB-150-SC	Flexible bulkhead boot for XP-150-SC
FDB-100-D	Flexible double boot for XP-100-D or 1" electrical conduit
FDB-100-SC	Flexible double boot for XP-100-SC
FEB-050-D	Flexible entry boot for ½" electrical conduit
FEB-050-SC	Flexible entry boot for ¾" electrical conduit
FEB-075-D2	Double sided entry boot for ¾" and 1" electrical conduit
FEB-075-M	2" electrofusion fiberglass entry boot for use with 2" pipework
FEB-100-D	Flexible entry boot for XP-100-D
FEB-100-MD	Flexible entry boot for XP-100-MD
FEB-100-MDD	Flexible entry boot for XP-100-MDD
FEB-100-SC	Flexible entry boot for XP-100-SC, 40 mm UPP®
FEB-110-M	3" electrofusion fiberglass entry boot for use with 3" pipework
FEB-150-D	Flexible entry boot for XP-150-D, 50 mm UPP®
FEB-150-MD	Flexible entry boot for XP-150-MD

Penetration Fittings

Model	Description
FEB-150-MDD	Flexible entry boot for XP-150-MDD
FEB-150-SC	Flexible entry boot for XP-150-SC
FEB-175-D	Flexible entry boot for XP-175-D
FEB-175-MD	Flexible entry boot for XP-175-MD
FEB-175-MDD	Flexible entry boot for XP-175-MDD
FEB-175-SC	Flexible entry boot for XP-175-SC and 2" single wall fiberglass, 63 mm UPP®
FEB-175-SCSA	FLEX ENTRY BOOT 1.75 SC PIPE MADE IN USA
FEB-200-D	Flexible entry boot for XP-200-D, 63 mm UPP®
FEB-200-MD	Flexible entry boot for XP-200-MD
FEB-200-MDD	Flexible entry boot for XP-200-MDD
FEB-200-SC	Flexible entry boot for XP-200-SC, 75 mm UPP®
FEB-300	Flexible entry boot for 3" single wall fiberglass
FEB-300-R	Flexible entry boot for 3" single wall fiberglass, 90 mm UPP®
FEB-400-F	Flexible entry boot for 4" double wall pipe, 125 mm UPP®
FEB-400-R	Flexible entry boot for 4" single wall fiberglass, 110 mm UPP®
FEB-S-125	4" electrofusion fiberglass entry boot for use with 4" pipework
FWEB-150-SC	Fusion ducted entry boot for 1½" XP Pipe
FWEB-175-SC	Fusion ducted entry boot for 1¾" XP Pipe
FWEB-200-SC	Fusion ducted entry boot for 2" XP Pipe