

NEW Centralized Device Management for managing ATG software and back ups

[Learn More](#)

# ELECTRONIC PRESSURIZED LINE LEAK DETECTION SYSTEM

00:53



## Why Electronic PLLD for Detecting Line Leaks?

The Veeder-Root Electronic Pressurized Line Leak Detection (PLLD) system is designed to meet your everyday compliance needs. Our patented technology performs precision line leak testing at full pump pressure for 0.1 and 0.2 gallons per hour (gph) and a pressure decay test to meet the U.S. EPA 3.0 gph test requirements. The Veeder-Root Electronic PLLD system works in a variety of

NEW Centralized Device Management for managing ATG software and backups

[Learn More](#)

time volume.



## System Features

- **Pressure sensor is installed without breaking piping or adding a new sump,** and is constructed with stainless steel to meet the challenges of a highly corrosive environment.
- **Test lines at full pressure** for quick and accurate results, without restricting fuel flow rate.
- **Conducts a 3.0 gph test,** which meets EPA and NFPA 30 release detection requirement for pressurized line systems, once all dispensing is completed to ensure the integrity of the line.
- **Standard 3.0 gph and optional 0.1 and 0.2 gph tests** can be manually performed to reset alarms.
- **Monitors line pressure during dispensing activity** to ensure a catastrophic leak is not occurring during a dispense. If a leak is detected at a pre-set

NEW Centralized Device Management for managing ATG software and back ups

[Learn More](#)

- **Built-in calibration verification** to notify the site operator when the pressure transducer is not operating properly.
- **Auto-Confirm function**, when enabled, runs a second line leak test, if an initial test failure occurs, to verify and reduce false alarms due to mechanical issues that may be occurring in other parts of the fueling system.
- **Provides two alarm shutdown options when failure occurs:** Standard Dispenser Shutdown (Alarm and Shutdown) and Optional No Shutdown (Alarm Only).
- **Not impacted by thermal contraction of fuel in the line** due to changes in temperature.

< >

## Product Form

### TLS-450PLUS Line Leak Digital Transducer Part Numbers

Part Number	Description
859080-001	Digital Pressurized Line Leak Detector (DPLLD) without Swiftcheck Valve
859080-002	Digital Pressurized Line Leak Detector (DPLLD) with Swiftcheck Valve
332812-001	16 Input Universal Sensor Module (USM)
332813-001	5 Universal Input/Output Interface Module (UIOM), Relay Control and Input Signal Monitoring
332972-007	Ultimate Testing: Digital Line Leak Detection*
332972-008	Risk Management: Digital Line Leak Detection*
332813-001	Base Compliance: Digital Line Leak Detection*

NEW Centralized Device Management for managing ATG software and backups

[Learn More](#)

Part Number	Description
848480-001	Pressurized Line Leak Detector (PLLD) without Swiftcheck Valve
848480-003	Pressurized Line Leak Detector (PLLD) with Swiftcheck Valve
330843-001	6 Input Pressurized Line Leak Interface for use with PLLD Module
330374-001	3 Output Pressurized Line Leak Controller
330160-010	Ultimate Testing: Pressurized Line Leak Detection (PLLD)*
330160-060	Risk Management: Pressurized Line Leak Detection (PLLD)*
330160-050	Base Compliance: Pressurized Line Leak Detection (PLLD)*

\* One per system required for precision line leak detection capability.

NOTE: The TLS-350 analog transducer is not compatible with the TLS-450PLUS ATG.

## Specifications

### Operating Temperature

-25 ° F to +130 ° F

### Compatible Fuel Types

- Unleaded Gasoline
- Leaded Gasoline
- 5% Methanol
- Up to 100% Ethanol
- 15% MTBE
- Diesel

## NEW Centralized Device Management for managing ATG software and backups

[Learn More](#)

	<ul style="list-style-type: none"><li>• Aviation Gasoline</li><li>• DEF</li></ul>
<b>Line Flow Rate</b>	120 GPM Max w/ Swiftcheck Valve
<b>Operating Range</b>	0 – 70 PSI
<b>Proof Pressure</b>	200 PSI
<b>Maximum Vertical Pipeline Height Above Transducer</b>	11 Feet
<b>Minimum Pump Output Pressure</b>	23 PSI
<b>Maximum Volume of Fuel Monitored</b>	<ul style="list-style-type: none"><li>• TLS-450PLUS - 1178 gallons</li><li>• TLS-350 - 212 gallons</li></ul>

## Documents

- [↓ Electronic Pressurized Line Leak Detection \(576047-319\)](#)
- [↓ Line Leak Application Guide \(577013-465\)](#)
- [↓ Exterior Dimensions \ Digital PLLD Sensor \(333526-001\)](#)
- [↓ PLLD & WPLLD Troubleshooting Manual \(577013-344\)](#)
- [↓ DPLLD Site Prep and Installation Guide \(577013-933\)](#)
- [↓ PLLD Site Prep and Installation Manual \(576013-902\)](#)
- [↓ WPLLD Site Prep and Installation Manual \(576013-923\)](#)

NEW Centralized Device Management for managing ATG software and back ups

[Learn More](#)



## TLS-450PLUS Automatic Tank Gauge

The TLS-450PLUS automatic tank gauge provides the most comprehensive fuel site data for advanced fuel asset management.

[Learn More >](#)



## The Red Jacket® Submersible Turbine Pump

NEW Centralized Device Management for managing ATG software and back ups

[Learn More](#)

# REQUEST FOR QUOTE

**First name\***

---

**Last name\***

---

**Company name**

---

**Email\***

---

**Phone number**

---

**Country\***

Please Select

---

**Postal Code**

---

**Product Interest\***

- |  |   |
|--|---|
| <input type="checkbox"/> Automatic Tank Gauges         | <input type="checkbox"/> Tank Gauge Sensors or Probes   |
| <input type="checkbox"/> Submersible Turbine Pumps     | <input type="checkbox"/> HydrX Fuel Conditioning System |
| <input type="checkbox"/> DEF Submersible Turbine Pumps | <input type="checkbox"/> Electronic Meter Registers     |
| <input type="checkbox"/>                               | <input type="checkbox"/>                                |

# NEW Centralized Device Management for managing ATG software and back ups

[Learn More](#)

**Request Type\***

Please Select

**Please tell us about your request:**

**SUBMIT**

Copyright © The Veeder-Root Company.  
All rights reserved. Unauthorized duplication prohibited.  
125 Powder Forest Drive PO Box 2003  
Simsbury, CT 06070  
1.800.873.3313

**Automatic Tank Gauges  
(ATG)**

**Meter Registers**

**Red Jacket Submersible  
Pumping Systems (STP)**

**Careers**

**Technical Support**

[Privacy](#) [Terms](#) [Extranet](#) [CCPA Notice](#)