



Home › Automatic Tank Gauging Products ›
Probes & Float Kits ›
Magnetostriuctive Plus Probe for Alternative Fluid

MAG PLUS PROBE FOR ALTERNATIVE FLUID

Designed for alternative fuel environments

The Magnetostriuctive (MAG) Plus Probe for Alternative Fluids is constructed of stainless steel tubing and can be configured for several different tank applications.



Get a Quote



Find a Distributor



Compatible with a wide range of fuel types

Certified for inventory control, in-tank leak detection and water detection in multiple fluids including gasoline, diesel, and fluids up to 100% alcohol. The in-tank probe solution when used in underground storage tank applications is certified to exceed U.S. EPA performance standards and can accommodate 2", 3" and 4" float kits.

Employing magnetostrictive sensing technology, the MAG Plus Probe for Alternate Fuels gives tank owners visibility to measure and identify multiple liquid readings such as height, liquid temperature, and water.

The MAG Plus Probe for Alternative Fuels is constructed from stainless steel tubing and comes in a variety of models that include high growth polymer or aluminum canisters. It can be ordered as inventory control only, 0.1 or 0.2 gallon per hour leak detection models, and all can be ordered with or without water detection.

Product Form

Product Number	Description	Notes
846397-1XX	MAG Plus 0.1 In-Tank with High Grade Polymer (HGP) Canister for Alternative Fluids with Water Detection	UL
846391-1XX	MAG Plus 0.1 In-Tank Probe with Aluminum Canister for Alternative Fluids with Water Detection	UL



Fluids with No Water

Detection

846391-4XX

MAG Plus 0.1 In-Tank
Probe with Aluminum
Canister for Alternative
Fluids with No Water
Detection

UL

846397-2XX

MAG Plus 0.2 In-Tank with
High Grade
Polymer (HGP) Canister for
Alternative Fluids with
Water Detection

UL

846391-2XX

MAG Plus 0.2 In-Tank
Probe with Aluminum
Canister for Alternative
Fluids with Water
Detection

UL

846397-5XX

MAG Plus 0.2 In-Tank with
High Grade Polymer (HGP)
Canister for Alternative
Fluids with No Water
Detection

UL

846391-5XX

MAG Plus 0.2 In-Tank
Probe with Aluminum
Canister for Alternative
Fluids with No Water
Detection

UL

846397-3XX

MAG Plus In-Tank
Inventory Only with High
Grade
Polymer (HGP) Canister for
Alternative Fluids with
Water Detection

UL